


HAYWARD® STAR-CLEAR PLUS CARTRIDGE FILTERS

Constructed of New high-strength PermaGlass XL Material



C900



C17502



				ITEM NO.
C751	Star-Clear Plus	75 Sq. Ft. Filter	1-1/2" FIP	H4970
C7512	Star-Clear Plus	75 Sq. Ft. Filter	2" FIP	H4972
C900	Star-Clear Plus	90 Sq. Ft. Filter	1-1/2" FIP	H4974
C9002	Star-Clear Plus	90 Sq. Ft. Filter	2" FIP	H4976
C1200	Star-Clear Plus	120 Sq. Ft. Filter	1-1/2" FIP	H4980
C12002S	Star-Clear Plus	120 Sq. Ft. Filter	2" SLIP	H4984
C17502	Star-Clear Plus	175 Sq. Ft. Filter	2" FIP	H4986
C17502S	Star-Clear Plus	175 Sq. Ft. Filter	2" SLIP	H4988
CX900K	PVC Socket Connector	Set of 2	2" SLIP	H6942

Performance Data – Residential

Model Number	Effective Filtration Area	Design Flow Rate*	Turnover (In Gallons)	
			8 Hours	10 Hours
C751	75 ft ²	75 GPM	36,000	45,000
C900	90 ft ²	90 GPM	43,200	54,000
C1200	120 ft ²	120 GPM	57,600	72,000
C17502	175 ft ²	120 GPM	57,600	72,000

**One Gallon per Sq. Ft. Shown (Residential)
For Public Design Flow Rate - Base on .375 GPM/Sq.Ft.*

HAYWARD STAR-CLEAR FILTERS

ITEM NO.

Star-Clear Filters

C250 Star-Clear	25 Sq. Ft. Cartridge Filter	1-1/2" FIP	H5010
C500 Star-Clear	50 Sq. Ft. Cartridge Filter	1-1/2" FIP	H5012
R222 Star-Clear	O-Ring Kit	RO-KIT 222	H2506

Micro Star-Clear In-Line filters

C225 Micro Star-Clear	25 Sq. Ft. In-Line Filter	1-1/2" FIP	H5003
-----------------------	---------------------------	------------	-------

Micro Star-Clear System


C2251540LSS Micro Star-Clear Filter System	Includes: C-225 Cartridge Filter (25 Sq. Ft.) Power-Flo Pump, Base, Hoses & 6' Cord		H6044
--	--	--	-------



C-225




C-250



C2251540LSS

JANDY CL SERIES CARTRIDGE FILTER

Corrosion-resistant injection-molded cartridge filter w/tank handles for easy installation & cleaning.



NEW DESIGN

Jandy CL460 CL Series Cartridge Filter	- 460 Sq. Ft.	H2014
Jandy CL580 CL Series Cartridge Filter	- 580 Sq. Ft.	H2016
Jandy CL460	7" x 27", C-7468 - 115 Sq. Ft. (need 4)	H2096
Jandy CL580	(need 4) 7" x 33", C-7482 - 145 Sq. Ft.	H2098

(See Pages 276 - 279 for Above Ground Pump & Filter Systems)

HAYWARD®

SwimClear™

Complete Parts Break-down on Page 331

Large Capacity Cartridge Filters

PermaGlass XL filter tanks utilizing a cluster of four reusable cartridge elements. Heavy duty dirt holding capacity for extra long filter cycles, up to an entire season without cleaning.



C5025

- Hayward C2025 SwimClear Cartridge Filter
- Hayward C3025 SwimClear Cartridge Filter
- Hayward C4025 SwimClear Cartridge Filter
- Hayward C5025 SwimClear Cartridge Filter

- ITEM NO.
- H4991
 - H4993
 - H4995
 - H4997

Performance Data – Residential/Public

Model Number	Effective Filtration Area	Design Flow Rate*†	Turnover (In Gallons)*	
			8 Hours	10 Hours
C2025	225 ft. ²	84 GPM	108,000	135,000
C3025	325 ft. ²	122 GPM	156,000	195,000
C4025	425 ft. ²	150 GPM	204,000	255,000
C5025	525 ft. ²	150 GPM	252,000	315,000



SWIMCLEAR REPLACEMENT CARTRIDGES

(4 Required)

- CX480XRE² For C2020/C2025 H5829
- CX580XRE² For C3020/C3025 H5831
- CX880XRE For C4020/C4025 H5833
- CX875RE For C4520 H5827
- CX1280XRE For C5020/C5025 H5030
- CX1380RE For C5520 H5835


*Non-Stock Item
- Add Freight

HAYWARD SWIMPURE

Mineral Purifying System for Hayward Star-Clear & SwimClear Cartridge Filters

A system designed to transform Hayward cartridge filters into pool water purifiers as well. Using Nature 2 science, Swimpure fits into the filter element and releases minerals into pool water making it clean and healthy. For in-ground pools up to 35,000 gallons.

- Lasts 6 full months
- Reduces chlorine usage up to 80%
- Installs easily in seconds
- Safe, natural & efficient



Debris in unfiltered pool water is trapped by Hayward cartridge filter element. Filtered water then passes through the Swimpure Natural Pool Purifying Delivery System - and re-enters the pool not only filtered - but purified as well.

MODEL NUMBER	SQ. FT.	FILTER SERIES	ITEM NO.
N2C900	90	C900/C751 (C800)	A3280+
N2C1200	120	C1200, C1750, C3000 C4000, C5000	A3282
N2C1750	175	C1750	A3284+
N2C2000	200	C2020	A3286+
N2C3000	300	C3020, C2000-5000	A3288
N2CW35	CART FLTR (REPL N2C900-1750)		A3290

+Limited Stock

JACUZZI TRI-CLOPS CARTRIDGE FILTERS



Complete Parts Break-down on Page 332

		ITEM NO.
TC330-MB Tri-Clops cartridge filter (330 Sq.Ft.)		H9239
(3 Needed) Replacement Cartridge - Each		H9427
TC440-MB Tri-Clops cartridge filter (440 Sq.Ft.)		H9255
(3 Needed) Replacement Cartridge - Each		H9429
TC550-MB Tri-Clops cartridge filter (55) Sq.Ft.)		H9258
(3 Needed) Replacement Cartridge - Each		H9431

TRI-CLOPS CARTRIDGE FILTERS "RETRO-FIT KITS"

TC-300 Element Internal Kit	H9415
TC-450 Element Internal Kit	H9417
TC-600 Element Internal Kit	H9419
TC O-Ring Kit RO-Kit 233 TriClops & Earthworks	H2512

JACUZZI SHERLOK CARTRIDGE FILTERS

Features easy Ring-Lok access to filter element for easy servicing. No tools required. Includes patented dirt catcher to prevent debris from falling into tank when element is removed. 5- year limited warranty



Sherlok 80	Cartridge Filter - 80 Sq. Ft. Element	H9217
Sherlok 120	Cartridge Filter -120 Sq. Ft. Element	H9218
Sherlok 160	Cartridge Filter -160 Sq. Ft. Element	H9222
Sherlok 200	Cartridge Filter -200 Sq. Ft. Element	H9223

JACUZZI CFR CARTRIDGE FILTERS

Exclusive Ring-Lok access - Patented sediment catcher Automatic air bleed. 5-year warranty



CFR-25	Cartridge Filter (In-Line) 1-1/2"	H9236
---------------	-----------------------------------	-------

+Limited Stock

HARMSCO HURRICANE FILTER

A single cartridge style filter engineered to more than double the performance of any comparable cartridge filter. Provides up to 5 times filtration cycles between servicing.



		ITEM NO.
HUR40TC	Harmsco Hurricane Filter 40 Sq. Ft.	H2606*
HUR90TC	Harmsco Hurricane Filter 90 Sq. Ft.	H2608*
HUR170TC	Harmsco Hurricane Filter 170 Sq. Ft.	H2610*

SPECIAL ORDER ITEM

*Non-Stock Item - Add Freight

MODEL NO.	MAXIMUM FLOW RATE	(NSF) RESIDENTIAL MAX. POOL SIZE	RECOMMENDED MAX. POOL SIZED	FILTER AREA	HEIGHT CLEARANCE	PIPE SIZE INLET/OUTLET	PIPE SIZE DRAIN
HUR 40TC	40 GPM	14,400 Gal.	10,000 Gal.	40 Sq. Ft.	31"	2" NPT	1" NPT
HUR 90TC	90 GPM	32,400 Gal.	22,300 Gal.	90 Sq. Ft.	51"	2" NPT	1" NPT
HUR 170TC	170 GPM	61,200 Gal.	42,000 Gal.	170 Sq. Ft.	72"	2" NPT	1" NPT



Complete Parts Break-down on Page 335

CLEAN & CLEAR PLUS CARTRIDGE FILTERS

Fiberglass Reinforced Polypropylene Tank



A corrosion resistant injection molded filter tank with strength & reliability.
Uses four easy to clean polyester cartridges. 10-year warranty



	ITEM NO.
Clean & Clear Plus 240 Sq. Ft. Cartridge Filter	H3450
Clean & Clear Plus 320 Sq. Ft. Cartridge Filte	H3452
Clean & Clear Plus 420 Sq. Ft. Cartridge Filter	H3454
Clean & Clear Plus 520 Sq. Ft. Cartridge Filter	H3456


Replacement Cartridges

Cartridge Element, 240 Sq. Ft.	(4-Required)	H3443
Cartridge Element, 320 Sq. Ft.	(4-Required)	H3444
Cartridge Element, 420 Sq. Ft.	(4-Required)	H3447
Cartridge Element, 520 Sq. Ft.	(4-Required)	H3449




RAINBOW IN-LINE FILTER

Rainbow RDC-25 In-Line Cartridge Filter - 1-1/2" FIP	H5480
Rainbow RTL-25 Top Load Cartridge Filter - 1" Slip	C1053
Chlorine/Bromine Dispenser for RTL Filters	H5098



MODULAR MEDIA FILTER

Ultra capacity filtration is achieved w/perfectly balanced flow and an integral manifold design.
Dirt loading capacities in excess of 50 times more than sand filters in equivalent sized tanks.
Design allows for rinse-in-place operation. No need for backwash valve or backwashing.



S7M120 Modular Media Filter (300 Sq. Ft.)	H5177
S8M150 Modular Media Filter (450 Sq. Ft.)	H5249
S8M500 Modular Media Filter (500 Sq. Ft.)	H5170

Replacement Modules

InnerReplacement Module for S7M120 (100 Sq. Ft.)	N5173
OuterReplacement Module for S7M120 (200 Sq. Ft.)	N5172
InnerReplacement Module for S8M150 (191 Sq. Ft.)	N5171
OuterReplacement Module for S8M150 (259 Sq. Ft.)	N5170
InnerReplacement Module for S8M500 (209 Sq. Ft.)	N5174
OuterReplacement Module for S8M500 (291 Sq. Ft.)	N5175



MODEL NO.	MAX. GPM	POOL SIZE FILTER AREA	8 HOUR RATE	CONNECTION
S7M120	100	300 Sq. Ft.	36,000-48,000 Gals.	2"
S8M150	125	450 Sq. Ft.	45,000-60,000 Gals.	2"